

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(plasma same display same panel or PDP) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:52
		(plasma same display same panel or PDP) and sustain\$6 same period and apply\$6 same pulse\$6 same discharge\$6 same select\$6 same discharge\$6 same cell\$1 and during same address\$6 same period and discharge\$6 same cell\$1 and generate\$6 same prim\$6 and establish\$6 same discharge\$6 same prim\$6 and apply\$6 same sustain\$6 same pulse\$6 and sustain\$6 same discharge\$6 same cell\$1 and sustain\$6 same select\$6 same discharge\$6 same cell\$1 and and use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:11
L1	218	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) and use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 13:45
L2	12	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) and use\$6 adj prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 09:14
L3	10	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) and generat\$6 same prim\$6 and use\$6 adj prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:38
L4	2	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) same generat\$6 same prim\$6 and use\$6 adj prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:44
L5	6	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) same generat\$6 same prim\$6 same use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:45

EAST Search History

L6	6	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) same use\$6 same prim\$6 same generat\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:50
L7	110	(plasma same display same panel or PDP) and address\$6 same period same follow\$6 same sustain\$6 same period same subfield	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:54
L8	67	(plasma same display same panel or PDP) and (address\$6 adj period) same follow\$6 same (sustain\$6 adj period) same subfield	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:55
L9	11	(plasma same display same panel or PDP) and (address\$6 adj period) same follow\$6 same (sustain\$6 adj period) same next same subfield\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 13:04
L10	10	(plasma same display same panel or PDP) and (address\$6 adj period) same follow\$6 same (sustain\$6 adj period) same next same subfield\$1 and prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 13:05
L11	29	(plasma same display same panel or PDP) and (discharge\$6 same cell\$1 same generat\$6 same prim\$6) and apply\$6 same sustain\$6 same pulse\$6 same discharge\$6 same cell\$1 and sustain\$6 same discharge\$6 same cell same use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 13:48
L12	16	(plasma same display same panel or PDP) and (discharge\$6 adj cell\$1) same generat\$6 same prim\$6 and apply\$6 same sustain\$6 same pulse\$6 same (discharge\$6 adj cell\$1) and sustain\$6 same (discharge\$6 adj cell\$1) same use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 13:50
L13	0	(plasma same display same panel or PDP) and (discharge\$6 adj cell\$1) same generat\$6 same prim\$6 and apply\$6 same sustain\$6 same pulse\$6 same (discharge\$6 adj cell\$1) and sustain\$6 same (discharge\$6 adj cell\$1) same (use\$6 adj prim\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 13:49
L14	37	(plasma same display same panel or PDP) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 15:15

EAST Search History

L15	6	(plasma same display same panel or PDP) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 same during same sustain\$6 same period\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 16:10
L16	0	(plasma same display same panel or PDP) and (set\$6 adj up) adj pulse\$6 adj during adj sustain\$6 adj period\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 16:12
L17	0	(plasma same display same panel or PDP) and (set\$6 adj up) adj pulse\$6 adj occur\$6 adj sustain\$6 adj period\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 16:12
L18	10	(plasma same display same panel or PDP) and (set\$6 adj up) adj pulse\$6 same during same sustain\$6 adj period\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 16:13
S1	64853	(plasma same display same panel or PDP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:52
S3	3	(plasma same display same panel or PDP) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and form\$6 same first same space same charge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:39
S4	3	(plasma same display same panel or PDP) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and form\$6 same first same space same charge\$6 and select\$6 same discharge\$6 same cell	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:07
S5	1	(plasma same display same panel or PDP) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and form\$6 same first same space same charge\$6 and select\$6 same discharge\$6 same cell\$1 and generat\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:41
S6	1	(plasma same display same panel or PDP) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and form\$6 same first same space same charge\$6 and select\$6 same discharge\$6 same cell\$1 and generat\$6 and prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:42

EAST Search History

S7	1	(plasma same display same panel or PDP) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and form\$6 same first same space same charge\$6 and select\$6 same discharge\$6 same cell\$1 and prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 19:42
S8	10395	(plasma same display same panel or PDP) and prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:20
S9	12	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:31
S10	1	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and form\$6 same first same space same charge\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:06
S11	1	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and (form\$6 and first same space same charge\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:07
S12	8	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and (form\$6 and space same charge\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:09
S13	2	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and (form\$6 same space same charge\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:08
S14	6	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and (form\$6 and space same charge\$6) and select\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:17
S15	0	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and (form\$6 and space same charge\$6) and select\$6 same discharge\$6 same cell\$1 and (MHz or mega adj hertz)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:18

EAST Search History

S16	0	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and (MHz or mega adj hertz)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:19
S17	0	(plasma same display same panel or PDP) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and (MHz or mega adj hertz)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:19
S18	1016	(plasma same display same panel or PDP) and prim\$6 and (MHz or mega adj hertz)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:20
S19	0	(plasma same display same panel or PDP) and prim\$6 and (MHz or mega adj hertz) and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:22
S20	0	(plasma same display same panel or PDP) and prim\$6 and (MHz or mega adj hertz) and ((set\$6 adj up) same pulse\$6 and apply\$6 same discharge\$6 same cell\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:22
S21	8	(plasma same display same panel or PDP) and prim\$6 and apply\$6 same (set\$6 adj up) same pulse\$6 same discharge\$6 same cell\$1 and space\$6 same charg\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 20:32
S22	2	"7,030,839".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:40
S23	0	"7,030,839".pn. and setup same pulse\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:37
S24	0	"7,030,839".pn. and set\$6 adj up same pulse\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:38
S25	1	"7,030,839".pn. and prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 21:40

EAST Search History

S26	640	(plasma same display same panel or PDP) and sustain\$6 same period and apply\$6 same pulse\$6 same discharge\$6 same select\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:02
S27	107	(plasma same display same panel or PDP) and sustain\$6 same period and apply\$6 same pulse\$6 same discharge\$6 same select\$6 same discharge\$6 same cell\$1 and during same address\$6 same period and discharge\$6 same cell\$1 and generate\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:02
S28	22	(plasma same display same panel or PDP) and sustain\$6 same period and apply\$6 same pulse\$6 same discharge\$6 same select\$6 same discharge\$6 same cell\$1 and during same address\$6 same period and discharge\$6 same cell\$1 and generate\$6 same prim\$6 and establish\$6 same discharge\$6 same prim\$6 and apply\$6 same sustain\$6 same pulse\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:03
S29	12	(plasma same display same panel or PDP) and sustain\$6 same period and apply\$6 same pulse\$6 same discharge\$6 same select\$6 same discharge\$6 same cell\$1 and during same address\$6 same period and discharge\$6 same cell\$1 and generate\$6 same prim\$6 and establish\$6 same discharge\$6 same prim\$6 and apply\$6 same sustain\$6 same pulse\$6 and sustain\$6 same discharge\$6 same cell\$1 and sustain\$6 same select\$6 same discharge\$6 same cell\$1 and using same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:10
S30	22	(plasma same display same panel or PDP) and sustain\$6 same period and apply\$6 same pulse\$6 same discharge\$6 same select\$6 same discharge\$6 same cell\$1 and during same address\$6 same period and discharge\$6 same cell\$1 and generate\$6 same prim\$6 and establish\$6 same discharge\$6 same prim\$6 and apply\$6 same sustain\$6 same pulse\$6 and sustain\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:10

EAST Search History

S31	22	(plasma same display same panel or PDP) and sustain\$6 same period and apply\$6 same pulse\$6 same discharge\$6 same select\$6 same discharge\$6 same cell\$1 and during same address\$6 same period and discharge\$6 same cell\$1 and generate\$6 same prim\$6 and establish\$6 same discharge\$6 same prim\$6 and apply\$6 same sustain\$6 same pulse\$6 and sustain\$6 same discharge\$6 same cell\$1 and sustain\$6 same select\$6 same discharge\$6 same cell\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:11
S32	17	(plasma same display same panel or PDP) and sustain\$6 same period and apply\$6 same pulse\$6 same discharge\$6 same select\$6 same discharge\$6 same cell\$1 and during same address\$6 same period and discharge\$6 same cell\$1 and generate\$6 same prim\$6 and establish\$6 same discharge\$6 same prim\$6 and apply\$6 same sustain\$6 same pulse\$6 and sustain\$6 same discharge\$6 same cell\$1 and sustain\$6 same select\$6 same discharge\$6 same cell\$1 and use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:26
S33	1	"20020171369" and use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:23
S34	1	"20020053882" and use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:24
S35	0	(plasma same display same panel or PDP) and sustain\$6 adj select\$6 adj discharge\$6 adj cell\$1 adj use\$6 adj prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:29
S36	0	(plasma same display same panel or PDP) and sustain\$6 adj discharge\$6 adj cell\$1 adj use\$6 adj prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:28

EAST Search History

S37	0	(plasma same display same panel or PDP) and discharge\$6 adj cell\$1 adj use\$6 adj prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:28
S38	0	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) adj use\$6 adj prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:30
S39	0	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) same use\$6 adj prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/24 22:31
S40	14	(plasma same display same panel or PDP) and (sustain\$6 same select\$6 same discharge\$6 same cell\$1) same use\$6 same prim\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/25 12:49